


Nahtlose Präzisionsstahlrohre

EN 10305-1, zugblank hart (+C), E235, in HL von 4 - 7 m



| Abmessungen mm |
|-------------------|
| 1.5 x 0.5 |
| 2 x 0.5 |
| 3 x 0.5 |
| 1 |
| 4 x 0.5 |
| 0.75 |
| 1 |
| 1.25 |
| 5 x 0.5 |
| 0.8 |
| 1 |
| 1.25 |
| 1.5 |
| 1.75 |
| 6 x 0.5 |
| 0.8 |
| 1 |
| 1.2 |
| 1.5 |
| 2 |
| 7 x 0.5 |
| 0.8 |
| 1 |
| 1.2 |
| 1.5 |
| 2 |
| 2.5 |
| 8 x 0.5 |
| 0.8 |
| 1 |
| 1.2 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 9 x 0.5 |
| 0.8 |
| 1 |
| 1.2 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 10 x 0.5 |
| 0.8 |


| Abmessungen mm |
|-------------------|
| 10 x 1 |
| 1.2 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 11 x 0.5 |
| 0.8 |
| 1 |
| 1.2 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 12 x 0.8 |
| 1 |
| 1.5 |
| 1.75 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 13 x 0.5 |
| 1 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 13.5 x 1.8 |
| 14 x 0.5 |
| 0.8 |
| 1 |
| 1.5 |
| 1.75 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 4.5 |
| 5 |

| Abmessungen mm |
|-------------------|
| 14.5 x 2 |
| 15 x 0.5 |
| 1 |
| 1.2 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 4.5 |
| 5 |
| 16 x 0.8 |
| 1 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 4.5 |
| 5 |
| 17 x 1 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 5 |
| 18 x 0.5 |
| 0.8 |
| 1 |
| 1.2 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 4.5 |
| 5 |
| 6 |
| 19 x 1 |
| 1.2 |

| Abmessungen mm |
|-------------------|
| 19 x 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4.5 |
| 20 x 1 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 4.5 |
| 5 |
| 5.5 |
| 6 |
| 6.5 |
| 7 |
| 21 x 1 |
| 1.2 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 4.5 |
| 22 x 1 |
| 1.5 |
| 2 |
| 2.5 |
| 3 |
| 3.5 |
| 4 |
| 4.5 |
| 5 |
| 5.5 |
| 6 |
| 6.5 |
| 7 |
| 23 x 0.8 |
| 1 |
| 1.5 |
| 2 |

Nahtlose Präzisionsstahlrohre

EN 10305-1, zugblank hart (+C), E235, in HL von 4 - 7 m



| Abmessungen mm | |
|-------------------|-------|
| 23 | x 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 5 |
| 24 | x 0.5 |
| | 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6 |
| 7 | |
| 25 | x 0.5 |
| | 1 |
| | 1.2 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 5.5 |
| | 6 |
| | 6.5 |
| | 7 |
| | 7.5 |
| 8 | |
| 8.5 | |
| 25.4 | x 2 |
| | 2.5 |
| | 3 |
| | 4 |
| 26 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |


| Abmessungen mm | |
|-------------------|-----|
| 26 | x 4 |
| | 4.5 |
| | 5 |
| | 5.5 |
| | 6 |
| | 6.5 |
| | 7 |
| | 8 |
| 27 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| 28 | x 1 |
| | 1.2 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| 5.5 | |
| 29 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 4 |
| | 4.5 |
| 30 | x 1 |
| | 1.2 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |

| Abmessungen mm | |
|-------------------|-------|
| 30 | x 4.5 |
| | 5 |
| | 5.5 |
| | 6 |
| | 6.5 |
| | 7 |
| | 7.5 |
| | 8 |
| | 9 |
| | 10 |
| 31 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| 32 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 5.5 |
| 33 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6.5 |
| 34 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |

| Abmessungen mm | |
|-------------------|-------|
| 34 | x 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6 |
| | 6.5 |
| | 8 |
| | 8.5 |
| 35 | x 1 |
| | 1.2 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 5.5 |
| 6 | |
| 36 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 5 |
| | 6 |
| | 7 |
| 10 | |
| 37 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 4 |
| 38 | x 1 |
| | 1.5 |
| | 2 |

Nahtlose Präzisionsstahlrohre

EN 10305-1, zugblank hart (+C), E235, in HL von 4 - 7 m



| Abmessungen mm | |
|-------------------|-------|
| 38 | x 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 5.5 |
| | 6 |
| | 6.5 |
| | 7 |
| | 8 |
| 39 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| 40 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 5.5 |
| | 6 |
| | 6.5 |
| | 7 |
| | 7.5 |
| | 8 |
| | 9 |
| | 10 |
| 41 | x 2 |
| | 2.5 |
| | 3 |
| | 4 |
| 42 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 5 |


| Abmessungen mm | |
|-------------------|-------|
| 42 | x 6 |
| | 7 |
| | 8 |
| | 8.5 |
| | 10 |
| | 11 |
| 43 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 4 |
| | 10 |
| 44 | x 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 5 |
| | 6 |
| 45 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6 |
| | 6.5 |
| | 7 |
| | 7.5 |
| | 8 |
| | 8.5 |
| | 10 |
| 46 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 4 |
| | 5 |
| | 5.5 |

| Abmessungen mm | |
|-------------------|-------|
| 47 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3.5 |
| 48 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 5 |
| | 6 |
| | 7 |
| | 8 |
| 50 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6 |
| | 7 |
| | 7.5 |
| | 8 |
| | 9 |
| | 10 |
| | 12.5 |
| | 15 |
| 51 | x 1.5 |
| | 2 |
| | 3 |
| 52 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |

| Abmessungen mm | |
|-------------------|-------|
| 52 | x 6 |
| | 7 |
| | 10 |
| 53 | x 1.5 |
| | 3 |
| 54 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6 |
| | 7 |
| | 12 |
| 55 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6 |
| | 6.5 |
| | 7.5 |
| | 8 |
| | 10 |
| | 12.5 |
| | 15 |
| 56 | x 1 |
| | 2 |
| | 3 |
| | 4 |
| | 5.5 |
| | 6 |
| | 8 |
| 57 | x 2.5 |
| | 8.5 |
| 58 | x 1 |
| | 1.5 |
| | 2 |

Nahtlose Präzisionsstahlrohre

EN 10305-1, zugblank hart (+C), E235, in HL von 4 - 7 m



| Abmessungen mm | |
|-------------------|-------|
| 58 | x 2.5 |
| | 3 |
| | 4 |
| | 5 |
| | 6 |
| | 7 |
| 60 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6 |
| | 6.5 |
| | 7 |
| | 7.5 |
| | 8 |
| | 9 |
| | 10 |
| | 11 |
| | 12 |
| | 12.5 |
| | 15 |
| 62 | x 1 |
| | 2 |
| | 3 |
| | 4 |
| | 5 |
| | 6 |
| | 7 |
| | 10 |
| 63 | x 1.5 |
| 64 | x 2 |
| 65 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |


| Abmessungen mm | |
|-------------------|-------|
| 65 | x 5.5 |
| | 6 |
| | 6.5 |
| | 7 |
| | 7.5 |
| | 8 |
| | 10 |
| | 12.5 |
| | 15 |
| 66 | x 3 |
| | 5 |
| | 13 |
| 68 | x 1 |
| | 1.5 |
| | 2 |
| | 4 |
| 69 | x 4.5 |
| 70 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |
| | 4 |
| | 4.5 |
| | 5 |
| | 6 |
| | 7 |
| | 7.5 |
| | 8 |
| | 9 |
| | 10 |
| | 12.5 |
| | 15 |
| 72 | x 2 |
| | 7 |
| 73 | x 5 |
| 74 | x 2 |
| | 3 |
| 75 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |

| Abmessungen mm | |
|-------------------|-------|
| 75 | x 4 |
| | 5 |
| | 5.5 |
| | 6 |
| | 7.5 |
| | 8 |
| | 10 |
| | 12.5 |
| | 15 |
| 76 | x 3 |
| | 6 |
| | 8 |
| 78 | x 2.5 |
| | 3 |
| | 4 |
| | 6 |
| 80 | x 1 |
| | 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 4 |
| | 5 |
| | 6 |
| | 7.5 |
| | 8 |
| | 8.5 |
| | 10 |
| | 12.5 |
| | 15 |
| 82 | x 3 |
| | 4 |
| | 5 |
| | 6 |
| | 7 |
| 83 | x 1.5 |
| | 3.5 |
| | 4 |
| | 8 |
| 84 | x 6 |
| 85 | x 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 3.5 |

| Abmessungen mm | |
|-------------------|-------|
| 85 | x 4 |
| | 5 |
| | 6 |
| | 7.5 |
| | 8 |
| | 9 |
| | 10 |
| | 12.5 |
| | 15 |
| 86 | x 3 |
| | 6 |
| 87 | x 3.5 |
| 88 | x 2.5 |
| | 6 |
| 90 | x 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 4 |
| | 5 |
| | 6 |
| | 7.5 |
| | 8 |
| | 10 |
| | 12.5 |
| | 15 |
| 92 | x 4 |
| | 6 |
| | 7 |
| 95 | x 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 4 |
| | 5 |
| | 7.5 |
| | 10 |
| | 12.5 |
| 100 | x 1.5 |
| | 2 |
| | 2.5 |
| | 3 |
| | 4 |
| | 5 |
| | 6 |

Nahtlose Präzisionsstahlrohre

EN 10305-1, zugblank hart (+C), E235, in HL von 4 - 7 m



| Abmessungen mm | |
|-------------------|--|
| 100 | x 7.5 10 12.5 15 |
| 102 | x 4 8.5 |
| 105 | x 2.5 5 7.5 10 12.5 |
| 108 | x 4 5 |
| 110 | x 2 2.5 3 4 5 6 7.5 8 10 12 12.5 15 |
| 115 | x 2.5 5 7.5 10 12.5 |
| 120 | x 2 2.5 3 4 5 6 7.5 8 10 15 |
| 125 | x 2.5 5 7.5 10 |
| 126 | x 3 |

| Abmessungen mm | |
|-------------------|--|
| 130 | x 2.5 3 4 5 7.5 10 12.5 15 |
| 135 | x 2.5 5 7.5 10 |
| 140 | x 2.5 3 4 5 7.5 10 12.5 15 |
| 145 | x 2.5 5 7.5 10 |
| 150 | x 2.5 3 4 5 7.5 8 10 12.5 15 |
| 155 | x 2.5 5 7.5 10 |
| 160 | x 2.5 3 5 7.5 10 15 |
| 165 | x 2.5 3 |

| Abmessungen mm | |
|-------------------|--|
| 170 | x 5 7.5 10 15 |
| 175 | x 2.5 5 |
| 180 | x 2.5 5 6 7.5 10 12.5 15 |
| 190 | x 5 10 |
| 195 | x 5 |
| 200 | x 3 5 7 10 15 |
| 210 | x 5 |
| 220 | x 5 10 15 |
| 225 | x 5 |
| 230 | x 5 |
| 240 | x 5 |
| 250 | x 10 15 |
| 254 | x 6.5 |
| 260 | x 5 |
| 280 | x 5 |

| Abmessungen mm | |
|-------------------|--|
| | |